Peru Psilocybe Cubensis Spore Syringe UK | Peruvian Collection

From sporesyringes.co.uk/spore-syringes/peru, where the drawings move and the page is kept current.

Scan for this page

HOW THE SYRINGE IS USED FOR MICROSCOPY



1 Shake the syringe for ten seconds, cap on

2 Cap off

3 Needle on straight from its wrapper, never heated or wiped; cover off

4 One drop through the needle onto the slide

5 Coverslip down

6 Under the microscope: for microscopy and taxonomy

7 Needle off, end cap back on

8 Into the fridge at 2 to 8 °C

About Peru

Peru is a Psilocybe cubensis strain said to be from a Peruvian collection, listed here with the South American strains beside Ecuador, Brazil Corumba and PES Amazonian. Supplied as a double-density spore syringe, prepared in the UK for the study of spore morphology, colour and variation under the microscope. Spores are ellipsoid, thick-walled and dark purple-brown, with a germ pore at one end.

Origin and lineage

Peru is a South American cubensis line said to come from a collection made in Peru, and no collector, date or breeder is recorded for it, so the name marks a regional collection rather than a documented pedigree. It fills a gap in the South American family, which already holds Ecuador, Brazil Corumba, PES Amazonian and Costa Rica, and gives a comparison set a further Andean entry to mount beside Ecuador. As with any named cubensis line, the value of a Peru sample lies in knowing where the print came from, since nothing on the slide separates it from its neighbours.

Under the microscope

Spores are ellipsoid, 11 to 14 by 7 to 9 µm, dark purple-brown and thick-walled, with a germ pore at the apex. A drop of the double-density suspension gives a well-populated field at 400×, and single spores are easy to isolate for measurement. Mounted beside Ecuador the outline, wall and colour match closely; mounted beside Brazil Corumba the same is true. Record twenty measurements from each slide and the overlapping ranges make the point that South American cubensis lines are distinguished by provenance, not by morphology.

Handling and storage

Keep the syringe sealed, upright and refrigerated at 2 to 8 °C, and use within six months. Do not freeze it. One sterile needle comes with every syringe: fit it, shake the syringe to lift the spores back into suspension, and expel a single drop onto a clean slide before lowering a coverslip. Recap after use and return the syringe to the fridge. Spare needles and gloves are on the basket page for anyone prone to accidents.

Species	Psilocybe cubensis
Origin	Said to be Peru
Spore print	Dark purple-brown
Family	South American strains
Storage	2 to 8 °C, sealed, use within 6 months
Intended use	Microscopy, taxonomy and educational research only

How to Study Psilocybe Cubensis Spores Under a Microscope

Disclaimer

- This guide is for microscopy and educational purposes only.
- Cultivating or germinating spores into mushrooms containing psilocybin is illegal in the UK.

Introduction

- Each spore is a tiny, structured cell, and under the lens it shows its shape, size, wall and pigmentation.
- SporeSyringes.co.uk supplies double-density Psilocybe cubensis spore syringes, every batch checked under the microscope before dispatch, so the field is well populated for beginners and professionals alike.

Step 1: Prepare Your Workspace

Choose a clean, well-lit area and wipe the surfaces with isopropyl alcohol. You need:

- A microscope (400 to 1000× magnification)
- Sterile slides and coverslips
- A spore syringe (2.5 ml, 10 ml or 20 ml)
- Gloves and alcohol wipes
- A still air box, if you have one, to keep contaminants away while the slide is prepared

Step 2: Applying the Spore Solution

1. Shake the syringe for ten seconds with its cap on, so the spores disperse evenly.
2. Cap off, then fit the sterile needle straight from its wrapper; never heat or wipe it.
3. Take the needle cover off and put one small drop of solution onto the microscope slide.
4. Lower a coverslip over the drop carefully, to avoid air bubbles.
5. Needle off, end cap back on, and the syringe back in the fridge at 2 to 8 °C.

You now have a ready-to-observe spore sample. Strain clarity

Step 3: Viewing Under the Microscope

- Start at 400× to find the spores, then move to 1000× for detail.
- Expect ellipsoid spores, each strain with its own surface texture and pigmentation. The one exception among the strains we have imaged is Creeper, whose spores are angular rather than ellipsoid under the electron microscope.
- Strains such as Golden Teacher, Albino A+ and Hill Billy are studied side by side; spore size and colour overlap between strains, so record what you see rather than expecting a signature for each.

Step 4: Recording Your Findings

Take photos or notes of each strain's spore pattern. Over time you will learn to identify:

- Spore size and shape
- Colour variations (dark brown, purple or translucent)
- Wall thickness and density

Step 5: Build Your Microscopy Collection

- Many enthusiasts collect and compare spores from various strains for taxonomy studies.
- Start with a reliable source such as SporeSyringes.co.uk, where every batch is checked under the microscope before it is released.

Advanced Observation Tips

- Use MEA agar plates to grow out gourmet cultures and observe mycelium under the microscope.
- Compare strains such as Golden Teacher and B+ side by side to see the variations in spore shape and density; our Golden Teacher vs B+ guide walks through the differences.
- Record what you see for each strain, so your collection becomes a reference you can return to.

Key Takeaway

- Studying Psilocybe cubensis spores connects science and wonder. With clean, double-density spore syringes and the right tools, anyone can explore the structure and diversity of these remarkable organisms: legally, safely and with precision.

Internal Links:

- Buy Magic Mushroom Spore Syringes UK
- Learn About Double Density Spores
- Still Air Boxes for Microscopy

Psilocybe cubensis spores are supplied for microscopy and taxonomy only.

© SporeSyringes.co.uk. Printed from sporesyringes.co.uk/spore-syringes/peru.